


PHB/PHO/PHD

PHO/PHD

Figure 2.

Consumption of CoA in
DH5 α /pTRCNAlkK and DH5 α /pTRCN in
the Presence of Octanoic Acid




□ DH5 α /pTRCNAlkK $y = -0.018x + 0.819$

◇ DH5 α /pTRCN $y = 0.001x + 0.847$

Figure 3.

Consumption of CoA in
DH5 α /pTRCNAlkK and DH5 α /pTRCN in
the Presence of 3-Hydroxyoctanoic acid



□ DH5 α /pTRCNAlkK $y = -0.017x + 0.858$

◇ DH5 α /pTRCN $y = 0.000x + 0.905$

Figure 4A

pCambia-Rbc.PhaG.PhaC





Figure 4B

pBI-C4PPDK.PhaG.Rbc.PhaC









-  rubisco promoter
-  C4PPDK promoter
-  Alfalfa targeting signal
-  Pea targeting signal
-  rubisco terminator
-  NOS terminator

Figure 5A. Chloroplast PHA Production




Figure 5B. Cytosolic PHA Production





Figure 5C. Peroxisomal Production



-  Leaf-specific
-  Peroxiso targeting
-  Chloroplast
-  Polyadenyla

Figure 6A. Plastid PHA Production




Figure 6B. Cytosolic PHA Production





Figure 6C. Peroxisomal Production



- ▨ See-specific
- ▨ Peroxisomtargeting
- ▨ Plastid targeting
- ▨ Polyadenylati